

PRODUCT SPECIFICATIONS

OBS - REFER TO NR. Sink is manufactured from Stainless Steel with a Stainless Steel finish, .

Material:	Stainless Steel
Special Features:	Filtered
Finish:	Stainless Steel
Sink Dimensions:	19" x 11-3/4" x 54-1/4"

Special Note: Requires mounting frame MB23AL which can be ordered seperately for early installation.



Included with Product:

Fully Recessed Fountain, Filter, Chiller

▼ Ships in multiple boxes.

A Century of Tradition and Quality.
For more than 100 years, Elkay has been making innovative products and providing exceptional customer care. We take pride in offering plumbing products that make life easier, inspire change and leave the world a better place.



Installation Instructions (PDF) - 97162C Installation Instructions (PDF) - 1000003083 Warranty (PDF)

PART:	QTY:
PROJECT:	
DATE:	
NOTES:	
APPROVAL:	

In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkay.com for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.

7-11/16"

(196mm)

OUTLET

5-1/8"

(130mm)

ELECTRICAL INLET

INLET WATER

INLET WATER
CAN ENTER
RIGHT OR LEFT
(SHUT-OFF
VALVE AND
INLET WATER
LINE BY
OTHERS

SHUT-OFF AND INLET WATER

LINE - BY OTHERS

FILTER LOCATION SHOWN IS FOR POSITION IN WATER LINE CIRCUIT ONLY. ACTUAL POSITION WILL BE WHERE MOUNTING BRACKET IS

FASTENED IN MOUNTING BOX.

OTHERS)

PUSH BUTTON CONTROL

KNOCKOUT CLUSTER DETAIL



51299C

Elkay WaterSentry Replacement Filter (Coolers + Fountains)

Spec Sheet (PDF)




IMPORTANT! INSTALLER PLEASE NOTE

This water cooler has been designed and built to provide water to the user which has not been altered by materials in the cooler waterways.

The grounding of electrical equipment such as telephone, computers, etc., to water lines is a common procedure. This grounding may be in the building but may also occur away from the building. This grounding can cause electrical feedback into a water cooler creating an electrolysis which creates a metallic taste or causes an increase in the metal content of the water. The condition is avoidable by installing the cooler using the proper materials as shown below.

NOTICE

The water cooler must be connected to the water supply using a dielectric coupling. The cooler is furnished with a non-metallic strainer which meets this requirement. The drain trap which is provided by the installer should also be plastic to completely isolate the cooler from the building plumbing system.



NOTE: New installations must use Ground Fault Circuit Interrupter (GFCI). It is highly recommended that the circuit be dedicated and the load protection be sized for 20 amps.

CLIPS

1" (25mm) LONG SCREWS

CLIPS

In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkay.com for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.

11-1/4" (286mm)